

References

Heat Treatment to Kill Organisms in Wood

Compiled by: Eric Allen, Natural Resources Canada
April 2003, updated June 2007

1. Appel, A. G., D. A. Reiersen & M. K. Rust. 1983. Comparative water relations and temperature sensitivity of cockroaches. *Comp. Biochem. Physiol.* 74A: 357-61.
2. Banks, H.J. 1998. Prospect for heat disinfestations. In banks, H.J., Wright, E.J. and Damcevski, K.A., ed., *Stored grain in Australia. Proceedings of the Australian Postharvest Technical Conference, Canberra, 26-29 May 1998.* Canberra, Stored Grain Research Laboratory. CSIRO Entomology, 227-232
3. Beckett, S.J. and R. Morton, 2003. Mortality of *Rhyzopertha dominica* (F.) (Coleoptera: Bostrychidae) at grain temperatures ranging from 50°C and 60°C obtained at different rates of heating in a spouted bed. *J. Stored Prod. Res.* 39(3): 313-332.
4. Cartwright, K. and W.P.K. Findlay. 1958. *Decay of Timber and its Prevention.* Forest Her Majesty's Stationary Office 2nd ed. London. 332 pp.
5. Craighead, F.C. 1921. Temperatures fatal to larvae of the red-headed ash borer as applicable to commercial kiln drying. *Jour. Forestry* 19:250-254.
6. Chapman, A.D. 1933. Effect of steam sterilization on susceptibility of wood to blue-staining and wood-destroying fungi. *J. Agric. Res.* 47:369-374.
7. Chen, T.H. 1985. Bamboo mosaic virus associated with a mosaic disease of bamboos in Taiwan. *Plant Protection Bulletin, Taiwan.* 27(2):111-116.
8. Chidester, M.S. 1937. Temperature necessary to kill fungi in wood. *Proc. American Wood-Preservers' Assoc.* 33:312-324.
9. Chidester, M.S. 1939. Further studies on temperatures necessary to kill fungi in wood. *Proc. American Wood-Preservers; Assoc.* 35:319-324.
10. Denlinger, D.L. and G.D. Yocum. 1988. Physiology of heat sensitivity. *In.* *Temperature sensitivity in insects and application in integrated pest management.* Eds. Guy J. Hallman and David L. Denlinger., Boulder, Colo. : Westview Press, 1998. Series: Westview studies in insect biology.
11. Dwinell, L.D. 1986. Ecology of the pinewood nematode in southern pine chip piles. *USDA For. Service., Southeast. For. Expt. Sta., Res. Paper SE-258.* 14 pp.

12. Dwinell, L.D. 1987. Pine wood nematode in southern pine chips exported from Georgia. In: Wingfield, M.J., ed. *Pathogenicity of the pine wood nematode*. St. Paul, MN: APS Press: 50-57.
13. Dwinell, L.D. 1990. Heat-treating and drying southern pine lumber infested with pine wood nematodes. *Forest Prod. J.* 40:53-56.
14. Dwinell, L.D. 1990. Thermal death point of *Bursaphelenchus xylophilus* in southern pine chips. (Abstract). *Nematologica* 36:346.
15. Dwinell, L.D. 1994. Using heat to decontaminate pine chips infested with the pinewood nematode. In: *Ann. Intl. Res. Conf. Methyl Bromide Alternatives and Emissions Reductions*, Kissimmee, FL, Nov. 13-16, 1994. pp. 96-1,2.
16. Dwinell, L.D. 1995. Using heat to decontaminate unbarked Virginia pine logs. (Abstract). In: *Proc. Ann. Meeting Forest Products Society*, Portland, OR, June 1995.
17. Dwinell, L.D. 1996. Alternatives to methyl bromide for eradicating pests in exported softwood chip, lumber, and logs. *USDA Methyl Bromide Alternatives Newsletter* 2:7-8.
18. Dwinell, L.D. 1996. Methyl bromide alternatives for decontaminating softwood chips, lumber and logs. In: *Ann. Res. Conf. on Methyl Bromide Alternatives and Emissions Reductions*, Orlando, FL, Nov. 4-6, 1996. 64-1,3.
19. Dwinell, L.D. 1996. Using heat to decontaminate softwood chips, lumber and logs. In: *Importing Wood Products: Pest Risks to Domestic Industries*, Portland, OR, March 4-6, 1996.
20. Dwinell, L.D. 1997. Pinewood nematode: Regulation and mitigation. *Annual Review of Phytopathology* 35:153-166.
21. Dwinell, L.D. and W.W. Carr. 1995. Radio waves and steam, alone or in combination, for the eradication of *Bursaphelenchus xylophilus* in southern pine chips. In: *Ann. Intl. Res. Conf. on Methyl Bromide Alternatives and Emissions Reductions*, San Diego, CA, Nov. 6-8, 1995. Pp. 81-1,3.
22. Dwinell, L.D., C. Magnusson, and J. Tomminen. 1994. Evaluation of a Swedish steam-dryer for the eradication of *Bursaphelenchus xylophilus* in pine chips. *EPPO Bulletin* 24:805-811.
23. Dwinell, L.D., and W.W. Carr. 1991. Using radio waves to eradicate *Bursaphelenchus xylophilus* in southern pine chips. (Abstract). *J. Nematol.* 23:527.

24. Dwinell, L.D., S. Avramidis, and J.E. Clark. 1994. Evaluation of a radio-frequency/vacuum dryer for the eradication of the pine wood nematode in green sawn wood. *Forest Prod. J.* 44:19-24.
25. Dwinell, L.D., Y. Chung, D. Lee, and C. Yi 1995. Heat-treating loblolly pine lumber to eradicate *Bursaphelenchus xylophilus*: Verification tests. In: *Ann. Intl. Res. Conf. on Methyl Bromide Alternatives and Emissions Reductions*, San Diego, CA, Nov. 6-8, 1995. pp. 80-1,3.
26. Ebeling, W. and C.F. Forbes. 1988. Use of high temperature for the elimination of drywood termites, p 453. *Proc. XVIII International Congress of Entomology*, Vancouver.
27. Ebeling, W., C. F. Forbes & S. Ebeling. 1989. Heat treatment for powderpost beetles. *The IPM Practitioner* 11: 1-4.
28. EOLAS, Irish Science and Technology Agency. 1991. The development of treatment schedules to ensure eradication in timber of the pinewood nematode (*Bursaphelenchus xylophilus*) and its insect vectors. Final Report, ELOAS, Glasnevin, Dublin.
29. Ertelt, P. 1994. Studies on controlled thermal treatment in pest infested wood. Diploma Thesis, Rosenheim Technical College, Germany, [In German, English translation via Thermo Lignum UK]
30. Forbes, C. F. & W. Ebeling. 1987. Update: use of heat for elimination of structural pests. *The IPM Practitioner* 9: 1-6.
31. Forest Products Research Laboratory. 1957. The kiln sterilization of *Lyctus*-infested timber. Leaflet 13. Dept. Sci. and Ind. Res., For. Prod. Res. Lab., Princes Risborough, UK. 4 pp.
32. French, J.R.R. and Johnstone, R.S. 1968. Heat sterilization of block stacked timber in wood-destroying insect control. *J. Inst. Wood Sci.* 20:42-46.
33. Graham, S.A. 1924. Temperature as a limiting factor in the life of subcortical insects. *J. Econ. Entomol.* 17:377-383.
34. Guilmo, S.M.P., Auer, C.G., Barrichelo, L.E.G. 1999. Effect of thermophilic fungi on wood of *Eucalyptus saligna*. III. The fungal population. *Boletim-de-Pesquisa-Florestal.* 37:89-95.
35. Hopping, G.R. and Jenkins, J.H. 1933. The effect of kiln temperatures and air-seasoning on ambrosia insects (pinworms). *Can Dept. Interior, For. Serv. Circ.* 38.
36. Hubert, E.E. 1924. Effect of kiln drying, steaming and air seasoning on certain fungi in wood. *USDA Dept. Bull. No. 1262.* Washington, D.C.

37. Humphrey, C.J. and Siggers, P.V. 1934. Temperature relations of wood-destroying fungi. J. Agric. Res. 47: 997-1008.
38. Jones, T.W. 1973. Killing the oak wilt fungus in logs. For. Prod. J. 23(11):52-54.
39. Kappenburg, K.W. 1998. *Evaluierung alternativer quarantänetechniken zum ersatz von methylbromid bei der behandlung nordamerikanischen eichenholzes*. Inauguraldissertation zur erlangung der Doktorwürde. U. Freiburg in Breisgau. 140 pp.
40. Khristov, A. 1984. Peach violet mosaic. Gradinarska-i-Lozarska-Nauka. 21(8):24-30.
41. Kinn, D.N. 1986. Heat-treating wood chips: a possible solution to pine wood nematode contamination. Tappi Journal 69(1):97-98.
42. Koch, P. 1972. Utilization of southern pines. II. Processing. USDA Forest Service Agricultural Handbook No. 420. 926 pp.
43. Koch, P. 1972. Utilization of the southern pines. I. The raw material. USDA Forest Service Agricultural handbook 420. 733 pp.
44. Kurpik, V.W. and Wazny, J. 1978. Lethal temperatures for the wood-destroying fungi *Coniophora putanea* Fr. And *Gloeophyllum sepiarium* (Wulf.) Karst. Material und Organismen. 13:1-12.
45. Lewis, R. Jr. 1985. Temperature tolerance and survival of *Ceratocystis fagacearum* in Texas. Plant Dis. 69:443-444.
46. Lin, M.T., Kitajima, E.W., Cupertino, F.P., Costa, C.L. 1977. Partial purification and some properties of bamboo mosaic virus. Phytopathology. 67(12):1439-1443.
47. Lindgren, R.M. 1942. Temperature, moisture and penetration studies of wood staining *Ceratostomella* in relation to their control. USDA Tech. Bull. 807. Washington, DC.
48. MacLean, J.D. 1930. Studies of heat conduction in wood-results of steaming green round southern pine timbers. Proc. American Wood-Preservers' Assoc. 26:197-217.
49. MacLean, J.D. 1932. Studies of heat conduction in wood -Part II-Results of steaming green sawn southern pine timbers. Proc. Wood-Preservers' Assoc. 28:303-329.

50. Miric, M. and Willeitner, H. 1984. Lethal temperature for some wood-destroying fungi with respect to eradication by heat treatment. Doc. No. IRG/WP/1229. Inter. Res. Group on Wood Preservation. Stockholm, Sweden. 8pp.
51. Montgomery, H.B.S. 1936. An investigation of the temperatures lethal to some wood-decaying fungi. Trans. Brit. Mycol. Soc. 20:293-298.
52. Morrell, J.J. 1995. Importation of unprocessed logs into North America: a review of pest mitigation procedures and their efficacy. Forest Products Journal 45:41-49.
53. Morrell, J.J. 1996. Methods for mitigating the risks associated with unprocessed wood into the United States. In: *Importing Wood Products: Pest Risks to Domestic Industries*, Portland, OR, March 4-6, 1996. Pp.27-32.
54. Nelson, E.E. and Fay, H. 1974. Thermal tolerance of *Poria weirii*. Can. J. For Res. 4:288-290.
55. Newbill, M.A. and J.J. Morrell. 1991. Effects of elevated temperatures on the survival of Basidiomycetes that colonize untreated Douglas-fir logs. Forest Products Journal 41:31-33.
56. Ostaff, D.P. and M.Y. Cech. 1978. Heat sterilization of spruce-pine-fir lumber containing pine sawyer beetle larvae (Coleoptera: Cerambycid) *Monochamus* sp. Rep.)OPX-200E. Canadian Forest Service, Ottawa, Ontario, Canada. 9 pp.
57. Parkin, E.A. 1937. The kiln-sterilization of timber infested by *Lyctus* powder-post beetles. Journal of Forestry 11:32-39.
58. Qi Longjun, Shong Shaoyi, Yan Zhenfen and Yu Xiang (Shanghai Entry-Exit Inspection and Quarantine Bureau. 200135). 2005. Study on the effect of heat treatment for pinewood nematode, *Bursaphelenchus xylophilus* within imported wood packaging materials. Plant Quarantine 6:19 325-329. Chinese Academy of Inspection and Quarantine.
59. Rust, M.J. and D.A. Reiersen. 1988. Use of extreme temperature in urban insect pest management. In. Temperature sensitivity in insects and application in integrated pest management. Eds. Guy J. Hallman and David L. Denlinger., Boulder, Colo. : Westview Press, 1998. Series: Westview studies in insect biology
60. Seehan, G. 1965. Uber die wirkung einer trocknung und erwanrmang von nadelholz auf das wachstum von blauepilzen. Holz Roh u. Werkstoff 23: 341-347.
61. Seifert, K.A. 1993. Sapstain of commercial lumber. In: *Ceratocystis and Ophiostoma, taxonomy, ecology and pathogenicity*. Eds. Wingfield, M.J., Seifert, K.A. and Weber, J.F. APS Press St. Paul MN. 293 pp.

62. Semeniuk, G., Carmichael, J.W. 1966. *Sporotrichum thermophile* in North America. *Can. J. Bot.* 44:105-8.
63. Smith, R.S. (ed.). 1991. The use of heat treatment in the eradication of the pinewood nematode and its vectors in softwood lumber. Report to the Task Force on pasteurization of Softwood Lumber. Forintek Canada Corporation, Vancouver, B.C., Canada. 72 pp.
64. Snell, W.H. 1922. The effect of heat upon the mycelium of certain structural timber destroying fungi within wood. (abst) *Phytopathology* 12:122.
65. Snell, W.H. 1923. The effect of heat upon the mycelium of certain structural timber destroying fungi within wood. *Am. J. Bot.* 10:399-411.
66. Snyder, T.E. 1923. High temperatures as a remedy for *Lyctus* powder-post beetles. *J. Forestry* 21:810-814.
67. Snyder, T.E. and R.A. St. George. 1924. Determination of Temperature Fatal to the Powderpost Beetle, *Lyctus planicollis* LeConte, Steaming Infested Ash and Oak Lumber in a Kiln. *Journal of Agricultural Research*. Volume 28. Number 10. Pages 1033-1038
68. Sokhansanj, S., H.C. Wood, J.W. Whistlecraft, G.A. Koivisto. 1993. Thermal disinfestation of hay to eliminate possible contamination with Hessian fly [*Mayetiola destructor* (Say)] *Postharvest Biology and Technology*, 3:165-172.
69. Stalpers, J.A. 1978. Identification of wood-inhabiting Aphyllophorales in pure culture. *Studies in Mycology* No. 16. 248 pp.
70. Strang, T.J.K. 1992. A review of published temperatures for the control of pest insects in museums. *Collection Forum* 8(2): 41-67.
71. Tansey, M.R. 1971. Isolation of thermophilic fungi from self-heated, industrial wood chip piles. *Mycologia*, May/June 1971, 63 (3): 537-547.
72. Tomminen, J. and M. Nuorteva. 1992. Pinewood nematode, *Bursaphelenchus xylophilus*, in commercial sapwood and its control by kiln-heating. *Scandinavian Journal of Forest Research* 7:113-120.
73. U.S. Environmental Protection Agency. 1996. Heat treatment to control pests on imported timber. Methyl bromide alternative case study, 10 Case Studies, Volume 2. 7 pp. (www.epa.gov/spdpublic/mbr/heatlog2.html)
74. USDA Animal and Plant Health Protection Service. 1991. An efficacy review of control measures for potential pests of imported Soviet timber. Misc. Publication No. 1496. 28 pp.

75. USDA Forest Service. 1951. Chemical brown stain in pine. USDA Forest Service, Forest Products Laboratory, Technical Note 254. 3 pp.
76. USDA Forest Service. 1956. Temperatures necessary to kill fungi in wood. USDA Forest Service, Forest Products Laboratory, Technical Note 259. 3 pp.
77. USDA Forest Service. 1991. Dry kiln operator's manual. USDA Forest Service, Forest Products Laboratory, Agriculture Handbook 188. 274 pp.
78. Wilcox, W.W. 1973. Degradation in relation to wood structure. Pgs. 107-148 In: *Wood Deterioration and its Prevention by Preservative Treatments. Vol. 1. Degradation and Protection of Wood.* D.D. Nicholas ed. Syracuse University Press, Syracuse NY. 380 pp.
79. Xie, Y., Bjurman, J., and Wadso, L. 1997. Macrocalorimetric characterization of the recovery of a brown-rot fungus after exposures to high and low temperature, oxygen depletion, and drying. *Holzforschung* 51:201-206.
80. Zimmerman, G. and Butin, H. 1973. Untersuchungen über Hitze- und Trockenresistenz holzwohrender Pilze. *Flora (Jena)* 162: 393-419.